Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:
Listing of Claims:

1. (Currently Amended) A topically applicable composition, comprising at least one Aphanizomenon flos-aquae var. flos-aquae extract at a concentration between 0.01 and 10% by dry weight of the total weight of the composition

said extract comprising

- proteins in a mass ratio comprised between 0.005% and 1% $\ensuremath{\text{m/m}}$
- vitamin B_{12} in a mass ratio comprised between 0.003 and 0.05 $\mbox{m/m}$
- lysine in a mass ratio comprised between 0.02% and 3% $\mbox{m/m}$
- proline in a mass ratio comprised between 0.15% and 2.5% m/m, and
- serine in a mass ratio comprised between 0.15% to 2.5% m/m,

said extract being obtained by at least a step of maceration of dried aphanizomenon flos-aquae var. flos aquae algae in the presence of cellulases, pectinases and glucanases, a step of liquid/solid separation by centrifugation, a step of

liquid/liquid separation by a filtration membrane and a step of drying and/or diluting in aquaeous solution.

- 2. (previously presented) The composition according to claim 1, existing in the form of simple or multiple emulsions such as a water/oil emulsion or an oil/water emulsion or even a triphasic emulsion, and/or a gel, or an aqueous or hydroalcoholic solution.
- 3. (previously presented) The composition according to claim 1, existing in the form of a vectorized system with controlled release or modulated release.

Claims 4 - 6. (cancelled)

7. (previously presented) A composition for after-sun care, comprising:

	Demineralized water	qs*100%
M	Tetrasodium EDTA	0.01%
	Methylparaben	0.05%
E .	Carbomer	15.00%
8	Triethanolamine	0.5-1%
	Antimicrobial preservative	0.5-1%
=	Silicone	1-2%
魔	Perfume	0.15%

Aphanizomenon flos-aquae var.

flos-aquae extract

0.5-5%

in solution in sorbitol and water

(i.e. 1-5% of dry Aphanizomenon flos-aquae var. flos-aquae extract)

8. (previously presented) A composition for after-sun care, comprising:

II	Tribehenin PEG-20 Esters	4.0%
噩	Cholesterol soluble in oil	6.0%
111	Isopropyl Lanolate	2.0%
•	Mineral oil and prunus armericana	
	(apricot) kernel oil and calendula	
	officinalis flower extract	2.0%
×	Caprylic/capric/succinic	
	triglyeride and sesamum indicum	
	(sesame) seed oil and triticum	
	vulgare (wheat) germ oil and	
	tocopheryl acetate	1.0%
IN	Demineralized water	qs100%
	Carbomer	10.0%
W	PEG/PPG dimethicone	6.0%
=	Demineralized water	5.0%
	Triethanolamine	0.2%

飘	Antimicrobial preservative	0.5%
*	Natural glycerin	4.0%
100	Aluminum starch octenyl-succinate	4.0%
89	Aphanizomenon flos-aquae var. flos-aqua	е
	extract	0.5-5%
	in solution in sorbitol and water	
(i.e	. 1-5% of dry Aphanizomenon flos-aquae	
var.	flos-aquae extract)	
	Perfume	0.3%

9. (currently amended) A composition for washing and taking care of hair, comprising:

A composition of sodium lauryl

sulfate (anionic) 10.00%

■ Demineralized water qs100%

■ Tetrasodim EDTA 0.05%

Cocamidopropyl betain 10.00%

■ Coconut Monoethanolamide 4.00%

Glycerin and propylene glycol andsorbitol and citrus grandis (grapefruit) fruit extract and pyrusmalus (apple) fruit extract and prunus persica (peach) fruit extract and sodium hyaluronate known under the

	trade registration of	3.00%
*	Antimicrobial preservative	0.50%
	Glutamate	15.00%
	Glucoside	6.00%
H	Ethoxylated stearic acide	1.00%
M	Demineralized water	5.00%
•	Acrysol®	6.00%
•	Aphanizomenon flos-aquae var. flos-aquae	
	extract	0.5-5%
	in solution in sorbitol and water	
	(i.e. 1-5% of dry Aphanizomenon flos-	
	aquae var. flos-aquae extract)	

10. (previously presented) An antiwrinkle composition, comprising:

RE .	Demineralized water	qs100%
•	Polyacrylamide/C1314/Soparaffin/Laureth7-	1.0%
•	Tribehenin PEG-20 Esters	3.0
HA	Cholesterol soluble in oil	4.0%
	Isopropyl palmitate	8.0%
#	PEG/PPG dimethicone	5.0%
in	Antimicrobial preservative	0.3%
æ	Aluminum starch octenyl-succinate	3.0%
	Aphanizomenon flos-aquae var. flos-aquae	

extract	0.5-5%
in solution in sorbitol and water	
(i.e. 1-5% of dry Aphanizomenon flos-aquae	
var. flos-aquae extract)	

11. (previously presented) A treatment mask composition for dried hair comprising:

M	Cetearyl glucoside	7%
H	Coco betaine	0.5%
=	Shea butter	4%
M	Beeswax	2%
ia i	Dimethicone	5%
N2	Demineralized water	qs100%
	Decyl glucoside	1%
M	Perfume	0.5%
•	Antimicrobial preservative	0.5%
•	Aphanizomenon flos-aquae var. flos-aquae	•
	extract	0.5-5%
	in solution in sorbitol and water	
(i.e. 1-5% of dry Aphanizomenon flos-aquae		
var.	flos-aquae extract)	

Appln. No. 10/542,578 Amd dated November 30, 2007 Reply to Office Action of July 30, 2007

12. (previously presented) A night cream, comprising:

	Cetearyl glucoside	6%
	Vegetable oils	20%
	DL-alpha tocopherol	0.05%
¥	Dimineralized water qs	100%
3	Antimicrobial preservative	0.5%
	Perfume	0.3%
18	Aphanizomenonflos-aquae var. flos-aquae	
	extract	0.5-5%
	in solution in sorbitol and water	

in solution in sorbitol and water

(i.e. 1-5% of dry Aphanizomenon flos-aquae var.

flos-aquae extract)

- 13. (previously presented) A method for preparing a composition according to claim 1, comprising the following steps:
- at least one maceration at a temperature from 25 to 50°C and, preferably 35°C, of dried Aphanizomenonflos-aquae var. flos-aquae blue algae in the presence of enzymes such as cellulases, pectinases, and glucanases, for a time from ten minutes to ten hours, and preferably for four hours under stirring,

Appln. No. 10/542,578 Amd dated November 30, 2007 Reply to Office Action of July 30, 2007

- a liquid/solid separation by centrifugation,
- a liquid/liquid separation by a membrane filtration method,
- drying and/or dilution in a solution containing specific adjuvants for example sorbitol,
- optional specific separation of the different thereby extracted constituents, for example by chromatography, the different substances obtained may be used alone or as a mixture.
- 14. (previously presented) The method according to claim 13, wherein the drying step is a standard (heat) drying step or a drying step by nebulization or freeze-drying.
- 15. (previously presented) The method according to claim 13, wherein the aforesaid extract is dissolved in an aqueous solution such as a water/sorbitol mixture.
- 16. (previously presented) A composition for treating at least one of the upper layers of the epidermis of hair comprising a composition according to claim 1 and a pharmaceutically or cosmetically acceptable carrier for use of skin or hair.

Appln. No. 10/542,578 Amd dated November 30, 2007 Reply to Office Action of July 30, 2007

- 17. (previously presented) A dermatological composition comprising the composition according to claim 1 and a cosmetically acceptable carrier.
- 18. (previously presented) A cosmetic composition comprising the composition according to claim 1 and a cosmetically acceptable carrier.